



# Material Safety Data Sheet

## TANECAL PLUS

### 1. Identification of the Substance/Preparation and the Company/Undertaking

Substance or preparation trade name: TANECAL PLUS  
Unique reference numbers(s): 068001  
Company/undertaking name & address: Caled Industries, 26 Hanes Drive, Wayne, NJ 07470  
  
Telephone: 1-800-652-2533  
Emergency telephone number: 1-800-424-9300 Chemtrec

### 2. Hazardous Ingredients

Substance:	Aprox. %	CAS #
------------	----------	-------

None as defined by 29 CFR 1910.1200 or state laws

### 3. Hazards Identification

**Health:** 1                      **Flammability:** 0                      **Reactivity:** 0

### 4. First aid measures

Skin contact: Flush area with water. When irritation persists get medical attention.  
Eyes contact: Wash eyes with large amount of water. Get medical attention.  
Ingestion: Not a normal route of entry. Drink large quantities of water. Do not induce vomiting. Get medical attention.  
Inhalation: Remove to fresh air. Get medical attention.

### 5. Fire fighting measures

Suitable extinguishing media: Water, dry chemicals  
Unsuitable extinguishing media:  
Special hazards in fire: None known  
Required special protective equipment.  
for fire-fighters: Wear Protective clothing and self contained breathing apparatus in confined areas.

### 6. Accidental release measures

Personal precautions: Wear safety goggles and gloves  
Environmental precautions: None known  
Methods for cleaning: Neutralized and flush area with water if locally permitted.  
Dispose of in accordance with federal, state and local regulations.



# Material Safety Data Sheet

## TANECAL PLUS

### 7. Handling and storage

Handling: Keep container closed. Avoid contact with skin. Do not freeze.

Storage: Keep container closed away from open flame, heat and sparks.

### 8. Exposure Controls

Engineering measures: None known

Control Parameters:

Personal protection equipment:

Eye protection: Safety glasses or safety shield. Eye wash station.

Hand protection: Neoprene gloves

Hygiene measures:

### 9. Physical and chemical properties

Appearance: Hazy liquid

Odor: Odorless

pH: 2.5 – 3.0

Boiling point: 212 F

Melting point: NA

Flashpoint: None

Explosive properties:

Vapor pressure: ND

Relative density: 1.010

Solubility: Soluble in water

### 10. Stability and reactivity

Conditions to avoid: None known

Materials to avoid: None known

Hazardous decomposition products:

None known

### 11. Toxicological information

Acute toxicity:

Local effects

Excessive exposure may affect human health as follows:

Skin contact: May cause slight irritation to skin.

Eye contact: Direct contact may cause irritation.

Inhalation: Not expected to be harmful under normal use.

Ingestion: Not normal route of entry. Ingestion of large amount can cause upset stomach  
And irritation to linings.



# Material Safety Data Sheet

## TANECAL PLUS

### 12. Ecological information

None known

### 13. Disposal Considerations

Small spills could be flush with water if locally permitted. Large spills should be neutralized with soda ash or other alkali before vacuuming into drum. Flush to sewer if permitted or disposal in accordance with federal, state and local regulations.

### 14. Transport information

Classification data:

**DOT:** Not regulated

**UN:** Not regulated

### 15. Regulatory information

Toxics Release Inventory SARA TITLE III, Section 313:

### 16. Other Information

Recommendations/restrictions:

Sources of key data used to compile:

NA= Not applicable ND= No data available NE= No establish <=Less than >= Greater than

We believe that the statements, Technical information and recommendation contained herein are reliable, but Without warrantee or guarantee of any kind, express or implied and we assume no responsibility for any loss, Damage, or expense, direct or consequential arising from their use.

This MSDS should be properly routed to all individuals who use or may come contact with this product, Understand and follow all pertinent employee and Community Right To Known Regulation.

Preparation date: 01-04-07